

Washington State HIV/AIDS Surveillance Report - 11/30/2006
Washington State Department of Health

Table 1. HIV¹ and AIDS CASES DIAGNOSED, KNOWN DEATHS, AND CASES PRESUMED LIVING

Year ⁵	TOTAL CASES (& CASE FATALITY RATE ²) DIAGNOSED DURING INTERVAL ³					DEATHS OCCURRING DURING INTERVAL ⁴		CASES PRESUMED LIVING DIAGNOSED DURING INTERVAL ³		
	HIV ¹		AIDS		HIV/AIDS Total	HIV ¹		HIV ¹		HIV/AIDS Total
	No.	(%)	No.	(%)		No.	No.	No.	No.	
1982	2	0%	1	(100%)	3	0	0	2	0	2
1983	4	(25%)	22	(100%)	26	0	7	3	0	3
1984	8	0%	77	(97%)	85	0	31	8	2	10
1985	62	(11%)	132	(98%)	194	0	81	55	3	58
1986	55	(13%)	247	(98%)	302	0	126	48	5	53
1987	61	(16%)	368	(96%)	429	2	188	51	15	66
1988	77	(16%)	493	(94%)	570	5	236	65	28	93
1989	97	(16%)	611	(92%)	708	7	309	81	49	130
1990	118	(15%)	733	(91%)	851	6	371	100	63	163
1991	135	(13%)	835	(88%)	970	4	461	118	98	216
1992	119	(12%)	897	(79%)	1,016	6	515	105	185	290
1993	100	(9%)	943	(72%)	1,043	12	617	91	266	357
1994	163	(7%)	853	(60%)	1,016	7	676	152	344	496
1995	171	(5%)	754	(43%)	925	5	665	162	427	589
1996	211	(6%)	661	(30%)	872	3	495	199	463	662
1997	222	(5%)	511	(23%)	733	9	226	211	395	606
1998	215	(2%)	385	(25%)	600	5	167	210	288	498
1999	265	(3%)	351	(25%)	616	6	137	258	265	523
2000	328	(4%)	431	(21%)	759	30	165	315	342	657
2001	300	(2%)	390	(16%)	690	20	153	295	327	622
2002	299	(3%)	414	(13%)	713	17	157	291	360	651
2003	313	(1%)	421	(11%)	734	28	184	311	374	685
2004	318	0%	406	(9%)	724	7	154	318	371	689
2005	371	(1%)	413	(7%)	784	13	133	367	386	753
2006	281	0%	282	(1%)	563	7	43	280	278	558
TOTAL	4,295	(5%)	11,631	(54%)	15,926	199	6,297	4,096	5,334	9,430

Table 2. HIV¹ and AIDS CASES, GENDER BY AGE AT DIAGNOSIS

	HIV ¹						AIDS					
	Male		Female		Total		Male		Female		Total	
	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)
0-12	19	0%	21	0%	40	(1%)	15	0%	17	0%	32	0%
13-19	62	(1%)	34	(1%)	96	(2%)	35	0%	14	0%	49	0%
20-29	1,152	(27%)	233	(5%)	1,385	(32%)	1,692	(15%)	241	(2%)	1,933	(17%)
30-39	1,486	(35%)	191	(4%)	1,677	(39%)	4,847	(42%)	401	(3%)	5,248	(45%)
40-49	742	(17%)	108	(3%)	850	(20%)	2,863	(25%)	246	(2%)	3,109	(27%)
50-59	179	(4%)	34	(1%)	213	(5%)	865	(7%)	100	(1%)	965	(8%)
60+	31	(1%)	3	0%	34	(1%)	256	(2%)	39	0%	295	(3%)
TOTAL	3,671	(85%)	624	(15%)	4,295	(100%)	10,573	(91%)	1,058	(9%)	11,631	(100%)

Notes:

1 Includes persons reported with HIV infection who are not known to have progressed to AIDS as of this report date. Does not include those who have only been tested anonymously for HIV.

2 Case fatality rate is the proportion of HIV or AIDS patients diagnosed during interval who are known to have died at some time since diagnosis.

3 Year of diagnosis reflects the time at which HIV infection or AIDS was diagnosed by a health care provider. Year of report (not shown above) reflects the time at which a case report was received by the Department of Health.

4 Includes deaths among HIV or AIDS patients diagnosed during that interval or any preceding interval.

5 Reporting delay is the period between the date a reportable disease is diagnosed by a physician and the date that the diagnosis is reported to public health officials. Cases counts for more recent time periods are considered to be incomplete due to reporting delays.

Washington State HIV/AIDS Surveillance Report - 11/30/2006
Washington State Department of Health

Tables 3. HIV¹ CASES, RACE/ETHNICITY¹⁰ AND EXPOSURE CATEGORY⁶

	<u>Adult/Adolescent</u>				<u>Pediatric</u>		<u>Total</u>	
	Male	(%)	Female	(%)	No.	(%)	No.	(%)
<u>Race/Ethnicity</u>								
White, not Hispanic	2,744	(75%)	304	(50%)	11	(27%)	3,059	(71%)
Black, not Hispanic	425	(12%)	196	(33%)	20	(49%)	641	(15%)
Hispanic (All Races)	304	(8%)	55	(9%)	6	(15%)	365	(8%)
Asian/Pacific Islander	2	0%	4	(1%)	0	0%	6	0%
Asian	83	(2%)	12	(2%)	4	(10%)	99	(2%)
Hawaiian/Pacific Islander	7	0%	1	0%	0	0%	8	0%
Native American/Alaskan	33	(1%)	26	(4%)	0	0%	59	(1%)
Multi-race	19	(1%)	2	0%	0	0%	21	0%
Unknown	34	(1%)	3	0%	0	0%	37	(1%)
Total	3,651	(100%)	603	(100%)	41	(100%)	4,295	(100%)
<u>Exposure Category</u>								
Male/male sex (MSM)	2,710	(74%)	0	0%	0	0%	2,710	(63%)
Injecting Drug Use (IDU)	229	(6%)	143	(24%)	0	0%	372	(9%)
MSM and IDU	344	(9%)	0	0%	0	0%	344	(8%)
Transfusion/Transplant	8	0%	10	(2%)	0	0%	18	0%
Hemophilia	8	0%	1	0%	1	(2%)	10	0%
Heterosexual Contact	131	(4%)	303	(50%)	0	0%	434	(10%)
Mother at Risk for HIV	0	0%	0	0%	34	(83%)	34	(1%)
No Identified Risk/Other	221	(6%)	146	(24%)	6	(15%)	373	(9%)
Total	3,651	(100%)	603	(100%)	41	(100%)	4,295	(100%)

Tables 4. AIDS CASES, RACE/ETHNICITY¹⁰ AND EXPOSURE CATEGORY⁶

	<u>Adult/Adolescent</u>				<u>Pediatric</u>		<u>Total</u>	
	Male	(%)	Female	(%)	No.	(%)	No.	(%)
<u>Race/Ethnicity</u>								
White, not Hispanic	8,352	(79%)	558	(54%)	15	(47%)	8,925	(77%)
Black, not Hispanic	1,030	(10%)	291	(28%)	10	(31%)	1,331	(11%)
Hispanic (All Races)	771	(7%)	93	(9%)	4	(13%)	868	(7%)
Asian/Pacific Islander	31	0%	13	(1%)	1	(3%)	45	0%
Asian	141	(1%)	19	(2%)	0	0%	160	(1%)
Hawaiian/Pacific Islander	22	0%	8	(1%)	0	0%	30	0%
Native American/Alaskan	162	(2%)	53	(5%)	1	(3%)	216	(2%)
Multi-race	40	0%	5	0%	1	(3%)	46	0%
Unknown	9	0%	1	0%	0	0%	10	0%
Total	10,558	(100%)	1,041	(100%)	32	(100%)	11,631	(100%)
<u>Exposure Category</u>								
Male/male sex (MSM)	7,635	(72%)	0	0%	0	0%	7,635	(66%)
Injecting Drug Use (IDU)	765	(7%)	298	(29%)	0	0%	1,063	(9%)
MSM and IDU	1,162	(11%)	0	0%	0	0%	1,162	(10%)
Transfusion/Transplant	73	(1%)	53	(5%)	0	0%	126	(1%)
Hemophilia	84	(1%)	4	0%	4	(13%)	92	(1%)
Heterosexual Contact	313	(3%)	515	(49%)	0	0%	828	(7%)
Mother at Risk for HIV	1	0%	0	0%	28	(88%)	29	0%
No Identified Risk/Other	525	(5%)	171	(16%)	0	0%	696	(6%)
Total	10,558	(100%)	1,041	(100%)	32	(100%)	11,631	(100%)

Notes:

1 Includes persons reported with HIV infection who are not known to have progressed to AIDS as of this report date. Does not include those who have only been tested anonymously for HIV.

6 Heterosexual Contact refers to contact with a person who is known to be HIV infected or at increased risk for HIV infection. No Identified Risk includes patients for whom risk information is incomplete, cases still under investigation, and interviewed patients with no recognized HIV exposure category.

10 Collection and presentation of race/ethnicity data have been adjusted to be consistent with Census 2000 data collection and presentation methods. Consequently, data for Asian/Pacific Islanders are now collected and presented in two separate categories ("Asian" and "Hawaiian/Pacific Islander"), while historical data are presented in the "Asian/Pacific Islander" category. Those who report more than one race are presented in the "Multi-race" category.

Washington State HIV/AIDS Surveillance Report - 11/30/2006

Washington State Department of Health

Table 5. HIV¹ AND AIDS CASES DIAGNOSED, KNOWN DEATHS, AND CASES PRESUMED LIVING, BY COUNTY OF RESIDENCE ⁸ AT DIAGNOSIS

	CASES DIAGNOSED					DEATHS				PRESUMED LIVING				
	HIV 1		AIDS		HIV/AIDS Total	HIV 1		AIDS		HIV 1		AIDS		HIV/AIDS Total
	No.	(%)	No.	(%)		No.	(%)	No.	(%)	No.	(%)	No.	(%)	
Region 1	173	(4.0%)	652	(5.6%)	825	13	(6.5%)	353	(5.6%)	160	(3.9%)	299	(5.6%)	459
ADAMS CO.	1	0.0%	5	0.0%	6	0	0.0%	1	0.0%	1	0.0%	4	(0.1%)	5
ASOTIN CO.	4	(0.1%)	17	(0.1%)	21	1	(0.5%)	6	(0.1%)	3	(0.1%)	11	(0.2%)	14
COLUMBIA CO.	1	0.0%	4	0.0%	5	1	(0.5%)	3	0.0%	0	0.0%	1	0.0%	1
FERRY CO.	0	0.0%	7	(0.1%)	7	0	0.0%	6	(0.1%)	0	0.0%	1	0.0%	1
GARFIELD CO.	1	0.0%	0	0.0%	1	0	0.0%	0	0.0%	1	0.0%	0	0.0%	1
LINCOLN CO.	0	0.0%	4	0.0%	4	0	0.0%	2	0.0%	0	0.0%	2	0.0%	2
OKANOGAN CO.	8	(0.2%)	26	(0.2%)	34	0	0.0%	9	(0.1%)	8	(0.2%)	17	(0.3%)	25
PEND OREILLE CO.	0	0.0%	8	(0.1%)	8	0	0.0%	5	(0.1%)	0	0.0%	3	(0.1%)	3
SPOKANE CO.	145	(3.4%)	494	(4.2%)	639	10	(5.0%)	279	(4.4%)	135	(3.3%)	215	(4.0%)	350
STEVENS CO.	5	(0.1%)	19	(0.2%)	24	0	0.0%	10	(0.2%)	5	(0.1%)	9	(0.2%)	14
WALLA WALLA CO.	7	(0.2%)	53	(0.5%)	60	1	(0.5%)	28	(0.4%)	6	(0.1%)	25	(0.5%)	31
WHITMAN CO.	1	0.0%	15	(0.1%)	16	0	0.0%	4	(0.1%)	1	0.0%	11	(0.2%)	12
Region 2	138	(3.2%)	402	(3.5%)	540	8	(4.0%)	189	(3.0%)	130	(3.2%)	213	(4.0%)	343
BENTON CO.	29	(0.7%)	82	(0.7%)	111	2	(1.0%)	37	(0.6%)	27	(0.7%)	45	(0.8%)	72
CHELAN CO.	16	(0.4%)	40	(0.3%)	56	1	(0.5%)	22	(0.3%)	15	(0.4%)	18	(0.3%)	33
DOUGLAS CO.	2	0.0%	2	0.0%	4	0	0.0%	2	0.0%	2	0.0%	0	0.0%	2
FRANKLIN CO.	20	(0.5%)	50	(0.4%)	70	1	(0.5%)	16	(0.3%)	19	(0.5%)	34	(0.6%)	53
GRANT CO.	10	(0.2%)	32	(0.3%)	42	1	(0.5%)	19	(0.3%)	9	(0.2%)	13	(0.2%)	22
KITTITAS CO.	5	(0.1%)	20	(0.2%)	25	0	0.0%	10	(0.2%)	5	(0.1%)	10	(0.2%)	15
Klickitat CO.	6	(0.1%)	9	(0.1%)	15	0	0.0%	6	(0.1%)	6	(0.1%)	3	(0.1%)	9
YAKIMA CO.	50	(1.2%)	167	(1.4%)	217	3	(1.5%)	77	(1.2%)	47	(1.1%)	90	(1.7%)	137
Region 3	333	(7.8%)	957	(8.2%)	1,290	22	(11.1%)	474	(7.5%)	311	(7.6%)	483	(9.1%)	794
ISLAND CO.	15	(0.3%)	59	(0.5%)	74	1	(0.5%)	33	(0.5%)	14	(0.3%)	26	(0.5%)	40
SAN JUAN CO.	7	(0.2%)	18	(0.2%)	25	1	(0.5%)	10	(0.2%)	6	(0.1%)	8	(0.1%)	14
SKAGIT CO.	23	(0.5%)	64	(0.6%)	87	3	(1.5%)	33	(0.5%)	20	(0.5%)	31	(0.6%)	51
SNOHOMISH CO.	234	(5.4%)	661	(5.7%)	895	14	(7.0%)	319	(5.1%)	220	(5.4%)	342	(6.4%)	562
WHATCOM CO.	54	(1.3%)	155	(1.3%)	209	3	(1.5%)	79	(1.3%)	51	(1.2%)	76	(1.4%)	127
Region 4 (King Co.)	2,805	(65.3%)	7,423	(63.8%)	10,228	115	(57.8%)	4,123	(65.5%)	2,690	(65.7%)	3,300	(61.9%)	5,990
KING CO.	2,805	(65.3%)	7,423	(63.8%)	10,228	115	(57.8%)	4,123	(65.5%)	2,690	(65.7%)	3,300	(61.9%)	5,990
Region 5	487	(11.3%)	1,226	(10.5%)	1,713	29	(14.6%)	676	(10.7%)	458	(11.2%)	550	(10.3%)	1,008
KITSAP CO.	74	(1.7%)	214	(1.8%)	288	1	(0.5%)	116	(1.8%)	73	(1.8%)	98	(1.8%)	171
PIERCE CO.	413	(9.6%)	1,012	(8.7%)	1,425	28	(14.1%)	560	(8.9%)	385	(9.4%)	452	(8.5%)	837
Region 6	359	(8.4%)	971	(8.3%)	1,330	12	(6.0%)	482	(7.7%)	347	(8.5%)	489	(9.2%)	836
CLALLAM CO.	20	(0.5%)	56	(0.5%)	76	2	(1.0%)	31	(0.5%)	18	(0.4%)	25	(0.5%)	43
CLARK CO.	167	(3.9%)	420	(3.6%)	587	2	(1.0%)	213	(3.4%)	165	(4.0%)	207	(3.9%)	372
COWLITZ CO.	41	(1.0%)	90	(0.8%)	131	1	(0.5%)	51	(0.8%)	40	(1.0%)	39	(0.7%)	79
GRAYS HARBOR CO.	17	(0.4%)	58	(0.5%)	75	1	(0.5%)	32	(0.5%)	16	(0.4%)	26	(0.5%)	42
JEFFERSON CO.	11	(0.3%)	23	(0.2%)	34	2	(1.0%)	15	(0.2%)	9	(0.2%)	8	(0.1%)	17
LEWIS CO.	10	(0.2%)	42	(0.4%)	52	1	(0.5%)	25	(0.4%)	9	(0.2%)	17	(0.3%)	26
MASON CO.	21	(0.5%)	78	(0.7%)	99	0	0.0%	23	(0.4%)	21	(0.5%)	55	(1.0%)	76
PACIFIC CO.	9	(0.2%)	18	(0.2%)	27	1	(0.5%)	10	(0.2%)	8	(0.2%)	8	(0.1%)	16
SKAMANIA CO.	0	0.0%	7	(0.1%)	7	0	0.0%	5	(0.1%)	0	0.0%	2	0.0%	2
THURSTON CO.	62	(1.4%)	177	(1.5%)	239	2	(1.0%)	77	(1.2%)	60	(1.5%)	100	(1.9%)	160
WAHKIAKUM CO.	1	0.0%	2	0.0%	3	0	0.0%	0	0.0%	1	0.0%	2	0.0%	3
STATE TOTAL	4,295	(100.0%)	11,631	(100.0%)	15,926	199	(100.0%)	6,297	(100.0%)	4,096	(100.0%)	5,334	(100.0%)	9,430

Notes:

1 Includes persons reported with HIV infection who are not known to have progressed to AIDS as of this report date. Does not include those who have only been tested anonymously for HIV.

8 County of residence at the time of testing positive for HIV (HIV cases) or at the time of AIDS diagnosis (AIDS cases). May not reflect where people are currently residing.

Washington State HIV/AIDS Surveillance Report - 11/30/2006

Washington State Department of Health

Table 6. HIV¹ CASES, YEAR OF DIAGNOSIS³ BY GENDER, RACE/ETHNICITY¹⁰, EXPOSURE CATEGORY⁶, AND AIDSNET REGION OF RESIDENCE⁹ AT DIAGNOSIS

	1982-1989		1990-1997		1998 - Current ⁵		Cumulative		2002		2003		2004		2005 ⁵		2006 YTD ⁵	
	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)
<u>Race/Ethnicity</u>																		
White, not Hispanic	316	(86%)	951	(77%)	1,792	(67%)	3,059	(71%)	190	(64%)	208	(66%)	198	(62%)	241	(65%)	186	(66%)
Black, not Hispanic	33	(9%)	148	(12%)	460	(17%)	641	(15%)	65	(22%)	59	(19%)	59	(19%)	64	(17%)	44	(16%)
Hispanic (All Races)	9	(2%)	86	(7%)	270	(10%)	365	(8%)	25	(8%)	29	(9%)	34	(11%)	43	(12%)	30	(11%)
Asian/Pacific Islander	0	0%	1	0%	5	0%	6	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Asian	2	(1%)	23	(2%)	74	(3%)	99	(2%)	7	(2%)	9	(3%)	11	(3%)	10	(3%)	6	(2%)
Hawaiian/Pacific Islander	1	0%	0	0%	7	0%	8	0%	0	0%	2	(1%)	0	0%	2	(1%)	2	(1%)
Native American/Alaskan	4	(1%)	16	(1%)	39	(1%)	59	(1%)	6	(2%)	4	(1%)	8	(3%)	3	(1%)	4	(1%)
Multi-race	0	0%	4	0%	17	(1%)	21	0%	4	(1%)	1	0%	5	(2%)	3	(1%)	3	(1%)
Unknown	1	0%	10	(1%)	26	(1%)	37	(1%)	2	(1%)	1	0%	3	(1%)	5	(1%)	6	(2%)
Total	366	(100%)	1,239	(100%)	2,690	(100%)	4,295	(100%)	299	(100%)	313	(100%)	318	(100%)	371	(100%)	281	(100%)
<u>Gender</u>																		
Male	337	(92%)	1,044	(84%)	2,290	(85%)	3,671	(85%)	256	(86%)	267	(85%)	271	(85%)	315	(85%)	236	(84%)
Female	29	(8%)	195	(16%)	400	(15%)	624	(15%)	43	(14%)	46	(15%)	47	(15%)	56	(15%)	45	(16%)
Total	366	(100%)	1,239	(100%)	2,690	(100%)	4,295	(100%)	299	(100%)	313	(100%)	318	(100%)	371	(100%)	281	(100%)
<u>Exposure Category</u>																		
Male/male sex (MSM)	256	(70%)	767	(62%)	1,687	(63%)	2,710	(63%)	194	(65%)	197	(63%)	192	(60%)	216	(58%)	179	(64%)
Injecting Drug Use (IDU)	33	(9%)	125	(10%)	214	(8%)	372	(9%)	25	(8%)	23	(7%)	25	(8%)	21	(6%)	22	(8%)
MSM and IDU	43	(12%)	99	(8%)	202	(8%)	344	(8%)	23	(8%)	22	(7%)	25	(8%)	39	(11%)	16	(6%)
Transfusion/Transplant	3	(1%)	6	0%	9	0%	18	0%	1	0%	0	0%	2	(1%)	3	(1%)	0	0%
Hemophilia	6	(2%)	3	0%	1	0%	10	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Heterosexual Contact	12	(3%)	126	(10%)	296	(11%)	434	(10%)	37	(12%)	36	(12%)	36	(11%)	35	(9%)	30	(11%)
Mother at Risk for HIV	3	(1%)	22	(2%)	9	0%	34	(1%)	0	0%	1	0%	1	0%	0	0%	1	0%
No Identified Risk/Other	10	(3%)	91	(7%)	272	(10%)	373	(9%)	19	(6%)	34	(11%)	37	(12%)	57	(15%)	33	(12%)
Total	366	(100%)	1,239	(100%)	2,690	(100%)	4,295	(100%)	299	(100%)	313	(100%)	318	(100%)	371	(100%)	281	(100%)
<u>AIDSNET Region</u>																		
Region 1	19	(5%)	49	(4%)	105	(4%)	173	(4%)	13	(4%)	14	(4%)	17	(5%)	11	(3%)	10	(4%)
Region 2	9	(2%)	37	(3%)	92	(3%)	138	(3%)	12	(4%)	7	(2%)	8	(3%)	18	(5%)	8	(3%)
Region 3	28	(8%)	111	(9%)	194	(7%)	333	(8%)	14	(5%)	23	(7%)	22	(7%)	32	(9%)	26	(9%)
Region 4 (King Co.)	249	(68%)	778	(63%)	1,778	(66%)	2,805	(65%)	200	(67%)	202	(65%)	219	(69%)	226	(61%)	173	(62%)
Region 5	33	(9%)	159	(13%)	295	(11%)	487	(11%)	36	(12%)	40	(13%)	22	(7%)	46	(12%)	37	(13%)
Region 6	28	(8%)	105	(8%)	226	(8%)	359	(8%)	24	(8%)	27	(9%)	30	(9%)	38	(10%)	27	(10%)
Total	366	(100%)	1,239	(100%)	2,690	(100%)	4,295	(100%)	299	(100%)	313	(100%)	318	(100%)	371	(100%)	281	(100%)

Notes:
1 This includes persons reported with HIV infection who are not known to have progressed to AIDS as of this report date. It does not include those who have only been tested anonymously for HIV.

3 Year of diagnosis reflects the time at which disease was diagnosed by a provider. Year of report (not shown above) reflects the time at which a case report was received by the Department of Health. Reporting delay is the period between the date a reportable disease is diagnosed by a physician and the date that the diagnosis is reported to public health officials. Cases counts for more recent time periods are considered to be incomplete due to reporting delays.

5 Reporting delay is the period between the date a reportable disease is diagnosed by a physician and the date that the diagnosis is reported to public health officials. Cases counts for more recent time periods are considered to be incomplete due to reporting delays.

6 Heterosexual Contact with a person who is known to be HIV infected or at increased risk for HIV infection. No Identified Risk includes patients for whom risk information is incomplete, cases still under investigation, and interviewed patients with no recognized HIV exposure category.

9 AIDSNET Region of residence at the time of testing positive for HIV (HIV cases) or at the time of AIDS diagnosis (AIDS cases). May not reflect where people are currently residing.

10 Collection and presentation of race/ethnicity data have been adjusted to be consistent with Census 2000 data collection and presentation methods. Consequently, data for Asian/Pacific Islanders are now collected and presented in two separate categories ("Asian" and "Hawaiian/Pacific Islander"), while historical data are presented in the "Asian/Pacific Islander" category. Those who report more than one race are presented in the "Multi-race" category.

Washington State HIV/AIDS Surveillance Report - 11/30/2006

Washington State Department of Health

Table 7. AIDS CASES, YEAR OF DIAGNOSIS³ BY GENDER, RACE/ETHNICITY¹⁰, EXPOSURE CATEGORY⁶, AND AIDSNET REGION OF RESIDENCE⁹ AT DIAGNOSIS

	1982-1989		1990-1997		1998 - Current ⁵		Cumulative		2002		2003		2004		2005 ⁵		2006 YTD ⁵	
	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)
<u>Race/Ethnicity</u>																		
White, not Hispanic	1,709	(88%)	4,917	(79%)	2,299	(66%)	8,925	(77%)	266	(64%)	272	(65%)	270	(67%)	260	(63%)	176	(62%)
Black, not Hispanic	129	(7%)	606	(10%)	596	(17%)	1,331	(11%)	75	(18%)	68	(16%)	66	(16%)	75	(18%)	52	(18%)
Hispanic (All Races)	76	(4%)	417	(7%)	375	(11%)	868	(7%)	43	(10%)	53	(13%)	42	(10%)	43	(10%)	27	(10%)
Asian/Pacific Islander	3	0%	31	(1%)	11	0%	45	0%	3	(1%)	1	0%	0	0%	1	0%	0	0%
Asian	11	(1%)	68	(1%)	81	(2%)	160	(1%)	13	(3%)	9	(2%)	9	(2%)	18	(4%)	15	(5%)
Hawaiian/Pacific Islander	5	0%	9	0%	16	0%	30	0%	2	0%	5	(1%)	2	0%	1	0%	2	(1%)
Native American/Alaskan	16	(1%)	117	(2%)	83	(2%)	216	(2%)	11	(3%)	10	(2%)	11	(3%)	10	(2%)	5	(2%)
Multi-race	2	0%	20	0%	24	(1%)	46	0%	1	0%	3	(1%)	5	(1%)	5	(1%)	5	(2%)
Unknown	0	0%	2	0%	8	0%	10	0%	0	0%	0	0%	1	0%	0	0%	0	0%
Total	1,951	(100%)	6,187	(100%)	3,493	(100%)	11,631	(100%)	414	(100%)	421	(100%)	406	(100%)	413	(100%)	282	(100%)
<u>Gender</u>																		
Male	1,889	(97%)	5,694	(92%)	2,990	(86%)	10,573	(91%)	343	(83%)	354	(84%)	337	(83%)	358	(87%)	239	(85%)
Female	62	(3%)	493	(8%)	503	(14%)	1,058	(9%)	71	(17%)	67	(16%)	69	(17%)	55	(13%)	43	(15%)
Total	1,951	(100%)	6,187	(100%)	3,493	(100%)	11,631	(100%)	414	(100%)	421	(100%)	406	(100%)	413	(100%)	282	(100%)
<u>Exposure Category</u>																		
Male/male sex (MSM)	1,499	(77%)	4,225	(68%)	1,911	(55%)	7,635	(66%)	220	(53%)	237	(56%)	213	(52%)	220	(53%)	133	(47%)
Injecting Drug Use (IDU)	82	(4%)	575	(9%)	406	(12%)	1,063	(9%)	47	(11%)	45	(11%)	44	(11%)	46	(11%)	28	(10%)
MSM and IDU	234	(12%)	612	(10%)	316	(9%)	1,162	(10%)	37	(9%)	36	(9%)	33	(8%)	40	(10%)	35	(12%)
Transfusion/Transplant	47	(2%)	64	(1%)	15	0%	126	(1%)	1	0%	1	0%	3	(1%)	2	0%	1	0%
Hemophilia	30	(2%)	52	(1%)	10	0%	92	(1%)	0	0%	1	0%	1	0%	1	0%	1	0%
Heterosexual Contact	29	(1%)	372	(6%)	427	(12%)	828	(7%)	71	(17%)	54	(13%)	56	(14%)	54	(13%)	28	(10%)
Mother at Risk for HIV	8	0%	18	0%	3	0%	29	0%	0	0%	0	0%	0	0%	1	0%	0	0%
No Identified Risk/Other	22	(1%)	269	(4%)	405	(12%)	696	(6%)	38	(9%)	47	(11%)	56	(14%)	49	(12%)	56	(20%)
Total	1,951	(100%)	6,187	(100%)	3,493	(100%)	11,631	(100%)	414	(100%)	421	(100%)	406	(100%)	413	(100%)	282	(100%)
<u>AIDSNET Region</u>																		
Region 1	79	(4%)	343	(6%)	230	(7%)	652	(6%)	26	(6%)	27	(6%)	30	(7%)	30	(7%)	17	(6%)
Region 2	48	(2%)	191	(3%)	163	(5%)	402	(3%)	15	(4%)	20	(5%)	23	(6%)	20	(5%)	18	(6%)
Region 3	111	(6%)	514	(8%)	332	(10%)	957	(8%)	41	(10%)	36	(9%)	41	(10%)	57	(14%)	31	(11%)
Region 4 (King Co.)	1,434	(74%)	3,964	(64%)	2,025	(58%)	7,423	(64%)	246	(59%)	273	(65%)	225	(55%)	218	(53%)	160	(57%)
Region 5	171	(9%)	644	(10%)	411	(12%)	1,226	(11%)	37	(9%)	38	(9%)	45	(11%)	43	(10%)	28	(10%)
Region 6	108	(6%)	531	(9%)	332	(10%)	971	(8%)	49	(12%)	27	(6%)	42	(10%)	45	(11%)	28	(10%)
Total	1,951	(100%)	6,187	(100%)	3,493	(100%)	11,631	(100%)	414	(100%)	421	(100%)	406	(100%)	413	(100%)	282	(100%)

Notes:

3 Year of diagnosis reflects the time at which disease was diagnosed by a provider. Year of report (not shown above) reflects the time at which a case report was received by the Department of Health. Reporting delay is the per between the date a reportable disease is diagnosed by a physician and the date that the diagnosis is reported to public health officials. Cases counts for more recent time periods are considered to be incomplete due to reporting delays.

5 Reporting delay is the period between the date a reportable disease is diagnosed by a physician and the date that the diagnosis is reported to public health officials. Cases counts for more recent time periods are considered to be incomplete due to reporting delays.

6 Heterosexual Contact with a person who is known to be HIV infected or at increased risk for HIV infection. No Identified Risk includes patients for whom risk information is incomplete, cases still under investigation, and interviewed patients with no recognized HIV exposure category.

9 AIDSNET Region of residence at the time of testing positive for HIV (HIV cases) or at the time of AIDS diagnosis (AIDS cases). May not reflect where people are currently residing.

10 Collection and presentation of race/ethnicity data have been adjusted to be consistent with Census 2000 data collection and presentation methods. Consequently, data for Asian/Pacific Islanders are now collected and presented in two separate categories ("Asian" and "Hawaiian/Pacific Islander"), while historical data are presented in the "Asian/Pacific Islander" category. Those who report more than one race are presented in the "Multi-race" category.